

# Notice of Allowability

Application No.

09/701,658

Examiner

Rip A. Lee

Applicant(s)

BINGEL ET AL.

Art Unit

1713

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to September 1, 2005.
2. ☒ The allowed claim(s) is/are 16,22 and 27-42.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All   b) ☐ Some\*   c) ☐ None   of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)


1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 07-22-05
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

***Allowable Subject Matter***

The following is an examiner's statement of reasons for allowance: Claims 16, 22, and 27-42 are allowed over the closest references cited below.

The present invention is drawn to a group 4 metallocene monohalogenide compound having general formula (I) (see claim for structural details). Salient features include: one halogen and one aryloxy,  $-OR^3$ , as ancillary ligands wherein  $R^3$  is fluorinated  $C_6-C_{24}$  aryl,  $C_7-C_{30}$  alkylaryl, or fluorinated  $C_7-C_{30}$  alkylaryl. At least one of the cyclopentadienyl based ligands is an indenyl ligand. The carbocyclic ligands are connected *via* bridging group  $CR^{13}R^{14}$  or  $SiR^{13}R^{14}$ . Another aspect of the invention is a catalyst containing said compound and a process for preparing a polyolefin with said catalyst.

Dormand *et al.* (*J. Organomet. Chem.*, 1975) discloses a bridged aryloxyzirconocene monohalide of formula (XII), redrawn for clarity below.



Repo *et al.* (*J. Organomet. Chem.*, 1997) discloses the compound non-bridged organometallic complex,  $Cp_2Zr(Cl)(2,6-t-Bu_2-OPh)$ .

Kioka *et al.* (U.S. 5,171,799) discloses the compound ethylenebis(indenyl)zirconium phenoxy monochloride.

Foster *et al.* (U.S. 5,798,427) discloses the compound  $Me_2Si(2-MeInd)_2Zr(Cl)(OPh)$ .

Art Unit: 1713

None of the references cited above discloses compounds possessing all the structural parameters set forth in the instant claims, and one of ordinary skill in the art would not have found it obvious to modify the prior art to arrive at the subject matter of the instant claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rip A. Lee whose telephone number is (571)272-1104. The examiner can be reached on Monday through Friday from 9:00 AM - 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu, can be reached at (571)272-1114. The fax phone number for the organization where this application or proceeding is assigned is (571)273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <<http://pair-direct.uspto.gov>>. Should you have questions on the access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

ral

November 14, 2005



DAVID W. WU  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700